

**2012**  
**OSU**  
**Bicycle Parking Utilization Survey**



## Overview.

In the fall of 2012 OSU Facilities Services Planning Department conducted a comprehensive bicycle parking survey. The survey recorded bicycle rack capacity, utilization and condition. The survey was conducted on October 24<sup>th</sup> and 25<sup>th</sup>. The weather conditions on the days of the survey were fair for biking. Wednesday was 49 degrees, with shows. Thursday was slightly warmer with little to no rain. In previous years, the survey was conducted earlier in the month of October to capture higher utilization rates associated with consistently warmer and dryer weather. The 2012 survey was conducted after rain began occurring regularly, with cooler temperatures overall. The 2012 survey revealed lower levels of utilization that were recorded in previous years. This is likely due to the seasonal change in weather, as anecdotally, much higher levels of campus bike parking utilization were apparent in the weeks prior to conducting the survey.

**Total capacity for on-campus bike parking was found to be 7,491** of which 2,326 (31%) are covered and 5,165 (69%) are uncovered. This reflects an increase in capacity over the 2010 survey of 649 spaces. The ratio of covered to uncovered spaces is unchanged from 2010. The survey measured a **maximum campus bicycle parking utilization rate of 56%**. This reflects a reduction in utilization from the fall 2010 survey, which recorded total campus utilization at 74%. However, numerous locations still experienced utilization in excess of capacity. Utilization values at residence halls, dining halls, the Valley Library, Waldo Hall and Gil Coliseum, among other buildings, exceeded 100% utilization.

## Methodology.

The survey was completed with the assistance of various Facilities Services staff, including volunteers from Planning, Risk Management, TAPS, Capital Construction Management. Map development, database management, calculations and analysis were completed by Facilities Services Campus Planning.

Campus planning conducted the 2012 bicycle parking utilization survey on two consecutive days, Wednesday and Thursday October 24 and 25. Both days had fair/cool weather for bicycling. Wednesday was cool (49 degrees) with light showers. Thursday was slightly warmer and mostly clear, with little noticeable precipitation. Campus planning conducted the study on two days instead of one to capture utilization differences that may occur between locations on typical student lecture and lab days. This allowed the survey to provide a more detailed measure of maximum bicycle parking utilization.

Surveyors operated between 10 am and 12 pm, attempting to capture peak utilization. Students used the inventory of bicycle racks developed for the 2010 survey to record bicycle rack locations, condition and utilization. Capacity and utilization values are then entered into the existing database, updating the inventory from previous years. In the event that new racks are located or previously existing racks are found to be missing the database and maps are updated accordingly.

Bicycle parking is grouped by location, where a location is one or more bicycle racks on a side or entrance of a building or structure. Each location is assigned a unique identification number and is mapped (Appendix B). Individual locations may contain multiple types of racks, either covered or uncovered. Campus Planning records bicycle parking locations in a database with the number and type of parking (covered vs. uncovered) as well as other details. All locations are mapped using ArcGIS software. Reports are generated from the database to depict the existing bicycle inventory and utilization on campus. All data contained within this report reflects the maximum utilization recorded during the 2010 survey.

## Inventory.

Total bicycle parking capacity on the OSU campus in 2012 was 7,491 parking spaces of which 2,326 (31%) are covered and 5,165 (69%) are uncovered. Hoop racks are the preferred style of bike rack for installation and utilization. They provide greater user-convenience for placing, securing and maneuvering of bicycles. These racks represent 5,156 (69%) of total capacity. Older, wheel racks provide the majority of the remaining bicycle parking, or 2,258 (30%) of total capacity (See Appendix A). The remaining capacity is comprised of bike lockers, and other styles of racks.

Bicycle parking must be constructed with most new development on campus based on the total square footage of the structure. Corvallis Land Development code (Section 3.36.50.13 – Bicycle Parking) requires that at least 50% of this new bicycle parking capacity be covered. The percentage of covered parking was anticipated to increase after the 2010 survey. However the 2012 survey did not indicate that this has occurred.

The overall number of bike parking spaces inventoried increased 649 spaces over the 2010 values. However, the relationship of covered to uncovered parking spaces did not change between the 2 survey periods (31% and 69% respectively both years). The relationship between hoop racks and non-hoop racks did change, however. The 2012 survey recorded an increase in hoop racks over non-hoops. In 2010 hoop racks represented 44% of spaces, while in 2012 hoop racks represented 69% of total available spaces. This is most likely due OSU to removing and replacing outdated racks with hoop style racks. Additionally, hoop racks are the standard style required for installation with new construction. Therefore, all new construction features hoop style bike racks.

#### **Utilization.**

Survey results show that the OSU campus had an average bicycle parking utilization rate of 56% during peak times. This is an 18% decrease from the 2010 survey. Nonetheless, in some areas utilization still exceeded capacity and, many bicycles were found outside of racks, locked to railings and light posts. The survey recorded 149 individual bicycles locked outside of designated bicycle parking locations. In the weeks surrounding the survey dates, Campus Facilities Services received numerous emails and phone calls regarding this issue. The increase in the number of bicycles on campus exceeded the capacity of bicycle parking in numerous locations, impacting motor vehicle parking and ADA ramp accessibility. A failure to meet the need for secure bicycle parking on the OSU campus could negatively impact bicycle use as an alternative mode of transportation.

In a change from the 2010 survey, the 2012 survey revealed that Campus sector D received the highest utilization of bicycle parking, at 75%. Sector D comprises the lower campus quad and MC Nary Hall and Callahan Halls, and several residence houses. There are only 640 spaces available in sector D. The high utilization values indicate bicycles parked at residence halls rather than at classroom buildings. Sector G and sector C had similar levels of utilization, 58% and 57% respectively. Sector G contains residence halls as well as the Parking structure the Alumni Center, and contains only 839 parking spaces. Like sector D, high utilization values in sector G largely represent bikes parked at residence halls. Sector C contains most of the more commonly used classroom buildings and also much of the student housing. The 2012 survey shows that sector C contains 66% of OSU campus bike parking capacity. In 2010 it featured only 64% of parking capacity. 57% utilization of sector C represents 2,816 parked bicycles, or 67% of the total bicycles parked on campus. Sectors B received the third highest utilization at 36%. The Property Services building was also inventoried in the 2012 bike parking survey. It is recorded as Sector X in the database, and featured 100% utilization, offering only 7 bike parking spaces.

During the survey, a total of 15 buildings experienced a utilization of 100% or greater. This is 8 fewer buildings than in 2010. Two of the buildings with the highest utilization were Waldo Hall and the Valley

Library, however most were housing and dining buildings including Arnold, Sackett, McNary, Hawley and West Dining Hall.

Damaged and or missing bicycle racks were noted during the survey. 33 were either damaged or unanchored. The locations of racks requiring attention are shown in the Bicycle Parking Survey Damage Report (Appendix C).

**Additional Information/Contacts.**


For additional information please use the following contacts.

- Susan Padgett, Planner  
541-737-6911, [susan.padgett@oregonstate.edu](mailto:susan.padgett@oregonstate.edu)
- David Dodson, Campus Planning Manager  
541-737-8503, [david.dodson@oregonstate.edu](mailto:david.dodson@oregonstate.edu)
- Rebecca Houghtaling , Senior Planner  
541-737-0456, [rebecca.houghtaling@oregonstate.edu](mailto:rebecca.houghtaling@oregonstate.edu)

## Appendices

- A- Bicycle Parking Survey Detail Report
- B- Map: Bike Parking Location ID
- C- Bicycle Parking Survey Damage Report

# OSU Campus Bicycle Parking Survey





# Bicycle Parking Survey: 24-Oct-2012 (Wednesday)

Weather: 49 degrees / occasional showers /



	Total Group	Covered All	Uncovered All	All Hoop	All Wheel	All Other	Covered Hoop	Covered Wheel	Cover Other	Uncovered Hoop	Uncovered Wheel	Uncovered Other	Bike Locker	Not in Rack
<b>Total</b>														
Campus Total	56% 4163/7491	63% 1476/2326	49% 2538/5165	56% 2862/5156	49% 1115/2258	45% 35/77	69% 1138/1646	52% 325/630	22% 11/50	49% 1724/3510	49% 790/1628	89% 24/27	2/0	149
Campus Total	55% 4129/7491	58% 1341/2326	51% 2641/5165	55% 2828/5156	50% 1118/2258	45% 35/77	59% 974/1646	56% 354/630	24% 12/50	53% 1854/3510	47% 764/1628	85% 23/27	1/0	147

## Sector

A	0%	0/36	0%	0/4	0%	0/32	0%	0/36		0%	0/4				
A	3%	1/36	25%	1/4	0%	0/32	3%	1/36		25%	1/4				
B	36%	253/700	41%	181/440	24%	63/260	37%	166/445	31%	78/255					9
B	36%	253/700	31%	138/440	40%	104/260	36%	161/445	32%	81/255					11
C	57%	2816/4956	73%	928/1272	50%	1831/3684	58%	2247/3862	48%	490/1017	26%	20/77			57
C	57%	2803/4956	65%	831/1272	52%	1912/3684	57%	2215/3862	50%	505/1017	29%	22/77			60
D	75%	479/640	78%	59/76	70%	393/564	31%	8/26	70%	429/614		15/0			27
D	72%	458/640	79%	60/76	67%	376/564	27%	7/26	68%	416/614		13/0			22
E	43%	53/123	47%	51/109	7%	1/14	47%	51/109	7%	1/14					1
E	47%	58/123	51%	56/109	7%	1/14	51%	56/109	7%	1/14					1
F	34%	64/190	18%	13/72	30%	35/118	25%	29/118	26%	19/72					16
F	33%	63/190	22%	16/72	29%	34/118	23%	27/118	32%	23/72					13
G	59%	491/839	69%	244/353	43%	208/486	64%	361/560	33%	91/279					39
G	58%	489/839	68%	239/353	43%	210/486	64%	361/560	32%	88/279					40
X	100%	7/7			100%	7/7			100%	7/7					
X	57%	4/7			57%	4/7			57%	4/7					

## Building

14th St Bus Stop ()	80%	8/10			80%	8/10	80%	8/10							
Adams Hall (0060)	22%	4/18	38%	3/8	10%	1/10	22%	4/18							
Agricultural Research Center (NInv-154)	22%	9/41	40%	8/20	10%	2/21	22%	9/41							
Agricultural Research Service (NInv-162)	36%	8/22			32%	7/22	32%	7/22							
Arnold Cafeteria (0058)	113%	9/8	100%	8/8			100%	8/8							1
Arnold Cafeteria (0197)	67%	16/24	82%	14/17	43%	3/7	70%	7/10	64%	9/14					1
Avery Lodge (0194)	103%	35/34	100%	34/34					100%	34/34					2
Azalea House (0026)	71%	30/42	77%	27/35	14%	1/7			52%	22/42			8/0		2
Ballard Extension Hall (0067)	73%	88/120	84%	67/80	50%	20/40	70%	84/120		3/0					1
Batcheller Hall (0009)	50%	12/24			50%	12/24	50%	12/24							
Bates Hall (Family Study Center) (0069)	69%	11/16			69%	11/16	69%	11/16							
Benton Annex (Women's Center) (0029)	100%	2/2			100%	2/2		2/0	0%	0/2					1
Benton Hall (0027)	33%	12/36			33%	12/36	38%	9/24	33%	4/12					
Bexel Hall (0018)	104%	50/48	104%	50/48			0%	0/48		50/0					1
Bexell Hall (0018)	83%	88/106			82%	87/106	82%	87/106							1
Black Cultural Center (0834)	17%	1/6			17%	1/6	17%	1/6							
Bloss Hall (0198)	41%	39/94			41%	39/94			41%	39/94					
Burt Hall (0068)	32%	24/74	0%	0/12	39%	24/62	39%	22/56	61%	11/18					
Buxton Hall (0111)	88%	21/24			88%	21/24	88%	21/24							
Callahan Hall (0192)	65%	143/219			62%	136/219	0%	0/10	62%	129/209					10
Carrie Halsell Hall (0204)	73%	95/130	92%	48/52	46%	36/78	64%	83/130							12
Cascade Hall (0058)	21%	6/28	30%	6/20	25%	2/8	21%	6/28							
Cauthorn Hall (0114)	91%	58/64			89%	57/64	98%	49/50	79%	11/14					1

	Total Group		Covered All		Uncovered All		All Hoop		All Wheel		All Other		Covered Hoop		Covered Wheel		Cover Other		Uncovered Hoop		Uncovered Wheel		Uncovered Other		Bike Locker	Not in Rack
CH2M Hill Alumni Center (0201)	51%	23/45	56%	9/16	48%	14/29	40%	18/45		5/0			56%	9/16					31%	9/29		5/0				
Child Care Center (0188)	18%	2/11	29%	2/7	0%	0/4	17%	1/6	20%	1/5			50%	1/2	20%	1/5			0%	0/4						
Clark Laboratory (0088)	0%	0/3			0%	0/3				0/3											0%	0/3				
Clock Tower (0146)	64%	55/86			64%	55/86	64%	55/86											64%	55/86						
Cordley Hall (0073)	35%	100/286	63%	37/59	28%	63/227	36%	65/182	36%	37/104			90%	9/10	57%	28/49			33%	56/172	16%	9/55				1
Covell Hall (0007)	79%	55/70			76%	53/70	76%	53/70											76%	53/70						2
Crop Science Bldg (0080)	27%	12/44	27%	12/44					27%	12/44					27%	12/44										
Dearborn Hall (0011)	82%	61/74	97%	33/34	78%	31/40	82%	61/74					97%	33/34					78%	31/40						
Dixon Recreation Center (0145)	46%	116/252	67%	48/72	39%	70/180	49%	116/238	0%	0/14			67%	48/72					42%	70/166	0%	0/14				2
Dryden Hall (0151)	42%	5/12	42%	5/12		4/0			42%	5/12					42%	5/12						4/0				
East Greenhouse (0074)	42%	5/12	42%	5/12					42%	5/12					42%	5/12										
Education Hall (0028)	90%	38/42			90%	38/42	90%	38/42											90%	38/42						
Energy Center (0078)	17%	1/6	17%	1/6					17%	1/6					17%	1/6										
Environmental Health & Safety Annex (0141)	100%	2/2	100%	2/2			100%	2/2					100%	2/2												
Fairbanks Hall (0087)	89%	16/18			78%	14/18			78%	14/18											78%	14/18				2
Finley Hall (0196)	28%	38/136	0%	0/40	38%	36/96			26%	36/136					0%	0/40					38%	36/96				2
GEM (0199)	83%	96/115	102%	49/48	66%	44/67	51%	59/115		34/0			102%	49/48					15%	10/67		34/0				3
Gilbert Hall (0015)	86%	76/88			86%	76/88	96%	48/50	74%	28/38									96%	48/50	74%	28/38				
Gilbert Hall Addition (0012)	89%	90/101	89%	90/101			101%	71/70	61%	19/31			101%	71/70	61%	19/31										
Gilkey Hall (0037)	67%	35/52			67%	35/52	85%	22/26	65%	17/26									85%	22/26	65%	17/26				
Gill Annex (0126)	30%	3/10			30%	3/10	30%	3/10											30%	3/10						
Gill Coliseum (0121)	58%	30/52	50%	16/32	40%	8/20	40%	8/20	50%	16/32					50%	16/32			40%	8/20						10
Gilmore Hall (0084)	32%	7/22			32%	7/22	0%	0/10	58%	7/12									0%	0/10	58%	7/12				
Gilmore Hall (0121)	69%	33/48			69%	33/48	69%	33/48											69%	33/48						
Gladys Valley Gymnastics Center (0033)	70%	21/30	70%	21/30			70%	21/30					70%	21/30												
Gleeson Hall (Chem Engr) (0016)	62%	31/50			62%	31/50	62%	31/50											62%	31/50						
Goss Stadium (0108)	3%	1/40			3%	1/40	3%	1/40											3%	1/40						
Hallie Ford (0073)	50%	8/16	100%	8/8	0%	0/8	0%	0/16		8/0			0%	0/8		8/0			0%	0/8						
Hawley Hall (0119)	106%	52/49	96%	25/26	91%	21/23	71%	35/49		11/0			54%	14/26		11/0			91%	21/23						6
Heckert Lodge (0116)	70%	53/76	93%	37/40	61%	22/36	70%	53/76					93%	37/40					61%	22/36						
Hinsdale WRL (0137)	25%	1/4	25%	1/4			25%	1/4					25%	1/4												
Hovland Hall (0092)	21%	10/47			21%	10/47	23%	9/40	29%	2/7									23%	9/40	29%	2/7				
ILLC (0207)	96%	243/254	92%	135/146	78%	84/108	86%	219/254					92%	135/146					78%	84/108						24
Kearney Hall (0001)	81%	55/68			79%	54/68	79%	54/68											79%	54/68						1
Kelley Engineering Center (0003)	53%	38/72	46%	22/48	79%	19/24	53%	38/72					46%	22/48					79%	19/24						2
Kerr Administration Bldg (0061)	56%	66/118	68%	62/91	15%	4/27			88%	56/64	19%	10/54			88%	56/64	22%	6/27					15%	4/27		
Key Shop (0048)	0%	0/3	0%	0/3					0%	0/3					0%	0/3										
Kidder Hall (0034)	75%	94/126			74%	93/126	78%	87/112	50%	7/14									78%	87/112	50%	7/14				4
Langton Hall (0105)	51%	39/76			50%	38/76	50%	38/76											50%	38/76						2
LaSells Stewart Center (0200)	38%	8/21			33%	7/21			33%	7/21											33%	7/21				1
Linus Pauling Science Center (0071)	54%	40/74			54%	40/74	54%	40/74											54%	40/74						
Magruder Hall (0153)	54%	42/78	54%	42/78			54%	42/78					54%	42/78												
McAlexander Filedhouse (0053)	17%	5/30	20%	2/10	10%	2/20	13%	4/30					20%	2/10					10%	2/20						1
McNary Hall (0190)	108%	115/106			103%	109/106			103%	109/106											103%	109/106				7
Memorial Union Bldg (0083)	90%	130/144	98%	47/48	76%	73/96	83%	120/144					98%	47/48					76%	73/96						10
Merrit Truax Indoor Practice Center (0142)	5%	1/20	5%	1/20			5%	1/20					5%	1/20												
Merryfield Hall (0002)	71%	5/7			71%	5/7			71%	5/7											71%	5/7				1
Milam Hall (0081)	48%	111/229	98%	47/48	44%	79/181	49%	93/188	51%	21/41			98%	47/48					41%	58/140	51%	21/41				1
Milne Computer Center (0020)	100%	18/18			94%	17/18	94%	17/18											94%	17/18						1
Moreland Hall (0106)	78%	25/32			75%	24/32	95%	19/20	42%	5/12									95%	19/20	42%	5/12				1
Multi Animal Teaching Facility (0364)	0%	0/32			0%	0/32	0%	0/32											0%	0/32						
Nash Hall (0021)	77%	101/132	96%	46/48	65%	55/84	77%	101/132					96%	46/48					65%	55/84						
National Forage Seed Center (NInv-156)	11%	4/36	11%	4/36				4/0	0%	0/36				4/0	0%	0/36										
Native American Longhouse (0107)	18%	2/11		2/0	0%	0/11			0%	0/11											0%	0/11				
Navy ROTC Armory (0117)	43%	6/14	43%	6/14					43%	6/14					43%	6/14									2/0	



	Total Group		Covered All		Uncovered All		All Hoop		All Wheel		All Other		Covered Hoop		Covered Wheel		Cover Other		Uncovered Hoop		Uncovered Wheel		Uncovered Other		Bike Locker	Not in Rack
Oak Creek (0814)	0%	0/7			0%	0/7			0%	0/7											0%	0/7				
Oak Creek Building (0545)	36%	16/45	45%	14/31	7%	1/14	45%	14/31	7%	1/14			45%	14/31							7%	1/14				1
Orchard Court (0202)	104%	27/26	92%	24/26					92%	24/26					92%	24/26										3
Orchard Court Unit-B (0202-B)	19%	5/27			19%	5/27			19%	5/27											19%	5/27				
Owen Hall (0022)	56%	61/109	0%	0/23	67%	58/86	67%	58/86			0%	0/23					0%	0/23			67%	58/86				9
Oxford House (0220)	46%	16/35			46%	16/35			46%	16/35											46%	16/35				
Parking Structure (0058)	75%	18/24	75%	18/24			75%	18/24					75%	18/24												
Peavy Hall (0124)	43%	78/183	43%	54/126	93%	53/57	40%	70/176	86%	6/7			43%	54/126						98%	49/50	86%	6/7			5
Physical Plant Heating Plant (0056)	0%	0/7			0%	0/7			0%	0/7												0%	0/7			
Plageman Student Health CR (0062)	77%	54/70	106%	36/34	50%	18/36	100%	54/54	0%	0/16			106%	36/34						90%	18/20	0%	0/16			
Poling Hall (0112)	79%	92/116	106%	36/34	63%	52/82	152%	70/46	27%	19/70			110%	22/20	100%	14/14				192%	50/26	9%	5/56			6
Pride Center (0853)	71%	5/7	43%	3/7					43%	3/7					43%	3/7										2
Prop Svcs (0862)	100%	7/7			100%	7/7			100%	7/7												100%	7/7			2
Radiation Center (0098)	64%	18/28	61%	17/28					61%	17/28					61%	17/28										2
Reed Lodge (0118)	17%	13/76	20%	8/40	28%	10/36	17%	13/76					20%	8/40						28%	10/36					
Reser Stadium (0120)	4%	3/71	0%	0/20	6%	3/51	4%	2/48	4%	1/23			0%	0/20						7%	2/28	4%	1/23			
Richardson Hall (0148)	40%	20/50	38%	15/40	50%	5/10	40%	20/50					38%	15/40						50%	5/10					
Rogers Hall (0019)	66%	23/35			63%	22/35	75%	21/28	29%	2/7										75%	21/28	29%	2/7			2
Sackett Hall (0096)	104%	28/27			96%	26/27			96%	26/27											96%	26/27				2
Seed Lab (0101)	0%	0/7			0%	0/7			0%	0/7												0%	0/7			
Shepard Hall (0014)	38%	5/13			38%	5/13			38%	5/13												38%	5/13			2
Shops (0045)	0%	0/6			0%	0/6	0%	0/6													0%	0/6				
Snell Hall/ MU East (0100)	24%	32/134	14%	10/74	37%	22/60	100%	6/6	8%	10/128		16/0			14%	10/74				100%	6/6	6%	3/54		16/0	
Strand Agricultural Hall (0038)	46%	83/181	84%	27/32	37%	55/149	107%	45/42	27%	37/139			84%	27/32						180%	18/10	27%	37/139			2
Student Legacy Park (0127)	11%	13/116			11%	13/116	11%	13/116													11%	13/116				
Student Legacy Park (127)	34%	11/32			34%	11/32	34%	11/32													34%	11/32				
Student Success Center (0206)	21%	9/43	53%	8/15	4%	1/28	21%	9/43					53%	8/15						4%	1/28					
Tennis Pavillion (0127)	22%	17/76	13%	5/40	31%	11/36	21%	16/76					13%	5/40						31%	11/36					1
The Valley Library (0036)	123%	118/96	147%	94/64	88%	28/32	122%	117/96					147%	94/64						88%	28/32					1
Transportation Services (0135)	50%	2/4	50%	2/4					50%	2/4					50%	2/4										
USDA Forestry Sciences Lab (2006)	33%	40/123	49%	37/76	6%	3/47	38%	28/74	27%	13/49			54%	26/48	46%	13/28				8%	2/26	5%	1/21			
Valley Football Center (0143)	86%	32/37			62%	23/37	85%	17/20	41%	7/17										85%	17/20	41%	7/17			9
Vet Research Lab (0154)	17%	1/6	17%	1/6					17%	1/6					17%	1/6										
Waldo Hall (0102)	125%	20/16			113%	18/16	110%	11/10	117%	7/6										110%	11/10	117%	7/6			2
Weatherford Hall (0109)	70%	63/90			62%	56/90	62%	56/90													62%	56/90				7
Weniger Hall (0017)	67%	120/178			67%	119/178	79%	101/128	50%	25/50										79%	101/128	50%	25/50			1
West Dining Hall (0113)	100%	16/16			100%	16/16	100%	16/16													100%	16/16				
West Hall (0115)	123%	49/40	128%	41/32	88%	7/8	120%	48/40					128%	41/32						88%	7/8					1
Wiegand Hall (0128)	54%	43/80	100%	14/14	45%	30/66	53%	42/80					100%	14/14						45%	30/66					2
Wilkinson Hall/Gilfillan Aud (0070)	91%	126/139			87%	121/139	86%	67/78	89%	54/61										86%	67/78	89%	54/61			6
Wilson Hall (0191)	74%	136/183			69%	126/183			69%	126/183											69%	126/183				10
Withycombe Hall (0075)	41%	28/69	53%	10/19	46%	23/50	46%	23/50	53%	10/19				53%	10/19					46%	23/50					
Womens Bldg (0086)	56%	37/66			56%	37/66	56%	37/66													56%	37/66				

## Location

14th St Bus Stop() - {ID 534}	80%	8/10			80%	8/10	80%	8/10												80%	8/10						
14th St Bus Stop() - {ID 534}	60%	6/10			60%	6/10	60%	6/10													60%	6/10					
Adams Hall(0060) -N {ID 631}	38%	3/8	38%	3/8			38%	3/8					38%	3/8													
Adams Hall(0060) -N {ID 631}	38%	3/8	38%	3/8			38%	3/8					38%	3/8													
Adams Hall(0060) -NW {ID 630}	10%	1/10			10%	1/10	10%	1/10												10%	1/10						
Adams Hall(0060) -NW {ID 630}	10%	1/10			10%	1/10	10%	1/10												10%	1/10						
Agricultural Research Center(NInv-154) -S {ID 118}	27%	7/26	35%	7/20	0%	0/6	27%	7/26					35%	7/20						0%	0/6						
Agricultural Research Center(NInv-154) -S {ID 118}	35%	9/26	40%	8/20	17%	1/6	35%	9/26					40%	8/20						17%	1/6						
Agricultural Research Center(NInv-154) -W {ID 129}	13%	2/15			13%	2/15	0%	0/15		2/0										0%	0/15		2/0				
Agricultural Research Center(NInv-154) -W {ID 129}	0%	0/15			0%	0/15	0%	0/15												0%	0/15						

	Total Group		Covered All		Uncovered All		All Hoop		All Wheel		All Other		Covered Hoop		Covered Wheel		Cover Other		Uncovered Hoop		Uncovered Wheel		Uncovered Other		Bike Locker	Not in Rack	
Agricultural Research Service(NInv-162) -W {ID 122}	36%	8/22			32%	7/22	32%	7/22												32%	7/22						1
Agricultural Research Service(NInv-162) -W {ID 122}	36%	8/22			32%	7/22	32%	7/22												32%	7/22						1
Arnold Cafeteria(0058) -NE {ID 634}	113%	9/8	100%	8/8			100%	8/8					100%	8/8													1
Arnold Cafeteria(0058) -NE {ID 634}	100%	8/8	100%	8/8			100%	8/8					100%	8/8													
Arnold Cafeteria(0197) -N {ID 619}	43%	3/7			43%	3/7			43%	3/7												43%	3/7				
Arnold Cafeteria(0197) -N {ID 619}	14%	1/7			14%	1/7			14%	1/7												14%	1/7				
Arnold Cafeteria(0197) -SE {ID 618}	71%	12/17	71%	12/17			60%	6/10	86%	6/7			60%	6/10	86%	6/7											
Arnold Cafeteria(0197) -SE {ID 618}	88%	15/17	82%	14/17			70%	7/10	100%	7/7			70%	7/10	100%	7/7											1
Avery Lodge(0194) -E {ID 527}	103%	35/34	100%	34/34					100%	34/34					100%	34/34											1
Avery Lodge(0194) -E {ID 527}	97%	33/34	91%	31/34					91%	31/34					91%	31/34											2
Azalea House(0026) -E {ID 526}	29%	6/21	29%	6/21					29%	6/21					29%	6/21											
Azalea House(0026) -E {ID 526}	38%	8/21	33%	7/21					33%	7/21					33%	7/21											1
Azalea House(0026) -S {ID 524}	136%	19/14	136%	19/14					79%	11/14	8/0				79%	11/14	8/0										
Azalea House(0026) -S {ID 524}	150%	21/14	143%	20/14					100%	14/14	6/0				100%	14/14	6/0										1
Azalea House(0026) -SW {ID 525}	14%	1/7			14%	1/7			14%	1/7												14%	1/7				
Azalea House(0026) -SW {ID 525}	14%	1/7			14%	1/7			14%	1/7												14%	1/7				
Ballard Extension Hall(0067) -E {ID 316}	85%	85/100	84%	67/80	85%	17/20	84%	84/100					84%	67/80						85%	17/20						1
Ballard Extension Hall(0067) -E {ID 316}	81%	81/100	80%	64/80	85%	17/20	81%	81/100					80%	64/80						85%	17/20						
Ballard Extension Hall(0067) -NE {ID 332}	15%	3/20			15%	3/20	0%	0/20		3/0										0%	0/20		3/0				
Ballard Extension Hall(0067) -NE {ID 332}	10%	2/20			10%	2/20	0%	0/20		2/0										0%	0/20		2/0				
Batcheller Hall(0009) -S {ID 427}	50%	12/24			50%	12/24	50%	12/24							50%	12/24											
Batcheller Hall(0009) -S {ID 427}	38%	9/24			38%	9/24	38%	9/24							38%	9/24											
Bates Hall (Family Study Center)(0069) -E {ID 235}	67%	4/6			67%	4/6	67%	4/6							67%	4/6											
Bates Hall (Family Study Center)(0069) -E {ID 235}	100%	6/6			100%	6/6	100%	6/6							100%	6/6											
Bates Hall (Family Study Center)(0069) -N {ID 248}	20%	2/10			20%	2/10	20%	2/10							20%	2/10											
Bates Hall (Family Study Center)(0069) -N {ID 248}	50%	5/10			50%	5/10	50%	5/10							50%	5/10											
Benton Annex (Women's Center)(0029) -W {ID 408}	100%	2/2			100%	2/2		2/0	0%	0/2										2/0	0%	0/2					
Benton Annex (Women's Center)(0029) -W {ID 408}	50%	1/2			0%	0/2			0%	0/2												0%	0/2				1
Benton Hall(0027) -N {ID 410}	36%	5/14			36%	5/14	36%	5/14							36%	5/14											
Benton Hall(0027) -N {ID 410}	43%	6/14			43%	6/14	43%	6/14							43%	6/14											
Benton Hall(0027) -S {ID 409}	33%	4/12			33%	4/12			33%	4/12												33%	4/12				
Benton Hall(0027) -S {ID 409}	25%	3/12			25%	3/12			25%	3/12												25%	3/12				
Benton Hall(0027) -W {ID 402}	30%	3/10			30%	3/10	30%	3/10							30%	3/10											
Benton Hall(0027) -W {ID 402}	30%	3/10			30%	3/10	30%	3/10							30%	3/10											
Bexel Hall(0018) -N {ID 336}	104%	50/48	104%	50/48			0%	0/48		50/0			0%	0/48		50/0											
Bexel Hall(0018) -N {ID 336}	100%	48/48	98%	47/48			0%	0/48		47/0			0%	0/48		47/0											1
Bexell Hall(0018) -N {ID 320}	75%	30/40			75%	30/40	75%	30/40							75%	30/40											
Bexell Hall(0018) -N {ID 320}	68%	27/40			68%	27/40	68%	27/40							68%	27/40											
Bexell Hall(0018) -S {ID 319}	78%	28/36			78%	28/36	78%	28/36							78%	28/36											
Bexell Hall(0018) -S {ID 319}	119%	43/36			117%	42/36	117%	42/36							117%	42/36											1
Bexell Hall(0018) -W {ID 321}	47%	14/30			47%	14/30	47%	14/30							47%	14/30											
Bexell Hall(0018) -W {ID 321}	60%	18/30			60%	18/30	60%	18/30							60%	18/30											
Black Cultural Center(0834) -W {ID 330}	0%	0/6			0%	0/6	0%	0/6							0%	0/6											
Black Cultural Center(0834) -W {ID 330}	17%	1/6			17%	1/6	17%	1/6							17%	1/6											
Bloss Hall(0198) -N {ID 616}	41%	39/94			41%	39/94			41%	39/94												41%	39/94				
Bloss Hall(0198) -N {ID 616}	35%	33/94			35%	33/94			35%	33/94												35%	33/94				
Burt Hall(0068) -N {ID 244}	67%	8/12	0%	0/12		8/0	67%	8/12					0%	0/12							8/0						
Burt Hall(0068) -N {ID 244}	42%	5/12	0%	0/12		5/0	42%	5/12					0%	0/12							5/0						
Burt Hall(0068) -S {ID 241}	3%	1/30			3%	1/30	0%	0/30		1/0										0%	0/30		1/0				
Burt Hall(0068) -S {ID 241}	27%	8/30			27%	8/30	0%	0/30		8/0										0%	0/30		8/0				
Burt Hall(0068) -SW {ID 256}	6%	1/18			6%	1/18			6%	1/18												6%	1/18				
Burt Hall(0068) -SW {ID 256}	17%	3/18			17%	3/18			17%	3/18												17%	3/18				
Burt Hall(0068) -W {ID 246}	100%	14/14			100%	14/14	100%	14/14							100%	14/14											
Burt Hall(0068) -W {ID 246}	57%	8/14			57%	8/14	57%	8/14							57%	8/14											
Buxton Hall(0111) -E {ID 213}	133%	16/12			133%	16/12	133%	16/12							133%	16/12											

	Total Group		Covered All		Uncovered All		All Hoop		All Wheel		All Other		Covered Hoop		Covered Wheel		Cover Other		Uncovered Hoop		Uncovered Wheel		Uncovered Other		Bike Locker	Not in Rack
Buxton Hall(0111) -E {ID 213}	108%	13/12			108%	13/12	108%	13/12												108%	13/12					
Buxton Hall(0111) -W {ID 214}	42%	5/12			42%	5/12	42%	5/12												42%	5/12					
Buxton Hall(0111) -W {ID 214}	42%	5/12			42%	5/12	42%	5/12												42%	5/12					
Callahan Hall(0192) -N {ID 516}	60%	122/202			55%	112/202			55%	112/202												55%	112/202			10
Callahan Hall(0192) -N {ID 516}	57%	116/202			57%	116/202			57%	116/202												57%	116/202			
Callahan Hall(0192) -SE {ID 517}	124%	21/17			124%	21/17	0%	0/10	200%	14/7		7/0							0%	0/10	200%	14/7		7/0		
Callahan Hall(0192) -SE {ID 517}	124%	21/17			118%	20/17	0%	0/10	186%	13/7		7/0							0%	0/10	186%	13/7		7/0	1	
Carrie Halsell Hall(0204) -E {ID 626}	115%	23/20	100%	20/20			100%	20/20					100%	20/20												3
Carrie Halsell Hall(0204) -E {ID 626}	115%	23/20	95%	19/20			95%	19/20					95%	19/20												4
Carrie Halsell Hall(0204) -N {ID 622}	109%	24/22	82%	18/22			82%	18/22					82%	18/22												6
Carrie Halsell Hall(0204) -N {ID 622}	118%	26/22	86%	19/22			86%	19/22					86%	19/22												7
Carrie Halsell Hall(0204) -S {ID 623}	61%	11/18			61%	11/18	61%	11/18												61%	11/18					
Carrie Halsell Hall(0204) -S {ID 623}	83%	15/18			83%	15/18	83%	15/18												83%	15/18					
Carrie Halsell Hall(0204) -SW {ID 625}	120%	12/10	100%	10/10			100%	10/10					100%	10/10												2
Carrie Halsell Hall(0204) -SW {ID 625}	100%	10/10	90%	9/10			90%	9/10					90%	9/10												1
Carrie Halsell Hall(0204) -W {ID 624}	38%	23/60			38%	23/60	38%	23/60												38%	23/60					
Carrie Halsell Hall(0204) -W {ID 624}	35%	21/60			35%	21/60	35%	21/60												35%	21/60					
Cascade Hall(0058) -N {ID 627}	21%	6/28	30%	6/20	0%	0/8	21%	6/28					30%	6/20						0%	0/8					
Cascade Hall(0058) -N {ID 627}	14%	4/28	10%	2/20	25%	2/8	14%	4/28					10%	2/20						25%	2/8					
Cauthorn Hall(0114) -E {ID 207}	79%	11/14			79%	11/14			79%	11/14												79%	11/14			
Cauthorn Hall(0114) -E {ID 207}	57%	8/14			57%	8/14			57%	8/14												57%	8/14			
Cauthorn Hall(0114) -W {ID 209}	86%	43/50			86%	43/50	86%	43/50												86%	43/50					
Cauthorn Hall(0114) -W {ID 209}	100%	50/50			98%	49/50	98%	49/50												98%	49/50					1
CH2M HILL Alumni Center(0201) -N {ID 612}	36%	9/25	31%	5/16	44%	4/9	36%	9/25					31%	5/16						44%	4/9					
CH2M HILL Alumni Center(0201) -N {ID 612}	72%	18/25	56%	9/16	100%	9/9	72%	18/25					56%	9/16						100%	9/9					
CH2M HILL Alumni Center(0201) -S {ID 614}	5%	1/20			5%	1/20	0%	0/20		1/0										0%	0/20		1/0			
CH2M HILL Alumni Center(0201) -S {ID 614}	25%	5/20			25%	5/20	0%	0/20		5/0										0%	0/20		5/0			
Child Care Center(0188) -N {ID 531}	0%	0/11	0%	0/7	0%	0/4	0%	0/6	0%	0/5			0%	0/2	0%	0/5				0%	0/4					
Child Care Center(0188) -N {ID 531}	18%	2/11	29%	2/7	0%	0/4	17%	1/6	20%	1/5			50%	1/2	20%	1/5				0%	0/4					
Clark Laboratory(0088) -N {ID 123}	0%	0/3			0%	0/3			0%	0/3												0%	0/3			
Clark Laboratory(0088) -N {ID 123}	0%	0/3			0%	0/3			0%	0/3												0%	0/3			
Clock Tower(0146) -N {ID 407}	20%	6/30			20%	6/30	20%	6/30												20%	6/30					
Clock Tower(0146) -N {ID 407}	57%	17/30			57%	17/30	57%	17/30												57%	17/30					
Clock Tower(0146) -S {ID 406}	55%	31/56			55%	31/56	55%	31/56												55%	31/56					
Clock Tower(0146) -S {ID 406}	68%	38/56			68%	38/56	68%	38/56												68%	38/56					
Cordley Hall(0073) -E {ID 233}	61%	46/75	84%	26/31	43%	19/44	80%	24/30	47%	21/45			90%	9/10	81%	17/21				75%	15/20	17%	4/24			1
Cordley Hall(0073) -E {ID 233}	51%	38/75	74%	23/31	34%	15/44	80%	24/30	31%	14/45			90%	9/10	67%	14/21				75%	15/20	0%	0/24			
Cordley Hall(0073) -ENE {ID 254}	24%	5/21	24%	5/21					24%	5/21					24%	5/21										
Cordley Hall(0073) -ENE {ID 254}	38%	8/21	38%	8/21					38%	8/21					38%	8/21										
Cordley Hall(0073) -N {ID 236}	21%	3/14			21%	3/14			21%	3/14												21%	3/14			
Cordley Hall(0073) -N {ID 236}	64%	9/14			64%	9/14			64%	9/14												64%	9/14			
Cordley Hall(0073) -S {ID 230}	8%	5/66	71%	5/7	0%	0/59	0%	0/42	21%	5/24					71%	5/7				0%	0/42	0%	0/17			
Cordley Hall(0073) -S {ID 230}	9%	6/66	86%	6/7	0%	0/59	0%	0/42	25%	6/24					86%	6/7				0%	0/42	0%	0/17			
Cordley Hall(0073) -W {ID 232}	37%	41/110			37%	41/110	37%	41/110												37%	41/110					
Cordley Hall(0073) -W {ID 232}	25%	27/110			25%	27/110	25%	27/110												25%	27/110					
Covell Hall(0007) -E {ID 429}	100%	10/10			100%	10/10	100%	10/10												100%	10/10					
Covell Hall(0007) -E {ID 429}	70%	7/10			70%	7/10	70%	7/10												70%	7/10					
Covell Hall(0007) -N {ID 438}	80%	16/20			80%	16/20	80%	16/20												80%	16/20					
Covell Hall(0007) -N {ID 438}	80%	16/20			80%	16/20	80%	16/20												80%	16/20					
Covell Hall(0007) -S {ID 428}	43%	17/40			43%	17/40	43%	17/40												43%	17/40					
Covell Hall(0007) -S {ID 428}	80%	32/40			75%	30/40	75%	30/40												75%	30/40					2
Crop Science Bldg(0080) -E {ID 102}	18%	3/17	18%	3/17					18%	3/17					18%	3/17										
Crop Science Bldg(0080) -E {ID 102}	24%	4/17	24%	4/17					24%	4/17					24%	4/17										
Crop Science Bldg(0080) -N {ID 101}	22%	6/27	22%	6/27					22%	6/27					22%	6/27										
Crop Science Bldg(0080) -N {ID 101}	30%	8/27	30%	8/27					30%	8/27					30%	8/27										

	Total Group		Covered All		Uncovered All		All Hoop		All Wheel		All Other	Covered Hoop		Covered Wheel		Cover Other	Uncovered Hoop		Uncovered Wheel		Uncovered Other	Bike Locker	Not in Rack
Dearborn Hall(0011) -NW {ID 424}	97%	33/34	97%	33/34			97%	33/34				97%	33/34										
Dearborn Hall(0011) -NW {ID 424}	85%	29/34	85%	29/34			85%	29/34				85%	29/34										
Dearborn Hall(0011) -S {ID 425}	70%	28/40			70%	28/40	70%	28/40										70%	28/40				
Dearborn Hall(0011) -S {ID 425}	78%	31/40			78%	31/40	78%	31/40										78%	31/40				
Dixon Recreation Center(0145) -E {ID 506}	38%	45/120	58%	23/40	28%	22/80	38%	45/120				58%	23/40					28%	22/80				
Dixon Recreation Center(0145) -E {ID 506}	46%	55/120	60%	24/40	39%	31/80	46%	55/120				60%	24/40					39%	31/80				
Dixon Recreation Center(0145) -N {ID 504}	0%	0/14			0%	0/14			0%	0/14										0%	0/14		
Dixon Recreation Center(0145) -N {ID 504}	0%	0/14			0%	0/14			0%	0/14										0%	0/14		
Dixon Recreation Center(0145) -W {ID 505}	46%	54/118	78%	25/32	31%	27/86	44%	52/118				78%	25/32					31%	27/86				2
Dixon Recreation Center(0145) -W {ID 505}	52%	61/118	69%	22/32	45%	39/86	52%	61/118				69%	22/32					45%	39/86				
Dryden Hall(0151) -E {ID 110}	33%	4/12	0%	0/12		4/0			33%	4/12				0%	0/12						4/0		
Dryden Hall(0151) -E {ID 110}	42%	5/12	42%	5/12					42%	5/12				42%	5/12								
East Greenhouse(0074) -N {ID 257}	42%	5/12	42%	5/12					42%	5/12				42%	5/12								
East Greenhouse(0074) -N {ID 257}	33%	4/12	33%	4/12					33%	4/12				33%	4/12								
Education Hall(0028) -W {ID 405}	90%	38/42			90%	38/42	90%	38/42										90%	38/42				
Education Hall(0028) -W {ID 405}	69%	29/42			69%	29/42	69%	29/42										69%	29/42				
Energy Center(0078) -E {ID 131}	0%	0/6	0%	0/6					0%	0/6				0%	0/6								
Energy Center(0078) -E {ID 131}	17%	1/6	17%	1/6					17%	1/6				17%	1/6								
Environmental Health & Safety Annex(0141) -NE {ID	100%	2/2	100%	2/2			100%	2/2				100%	2/2										
Environmental Health & Safety Annex(0141) -NE {ID	100%	2/2	100%	2/2			100%	2/2				100%	2/2										
Fairbanks Hall(0087) -E {ID 221}	89%	16/18			78%	14/18			78%	14/18									78%	14/18			2
Fairbanks Hall(0087) -E {ID 221}	72%	13/18			72%	13/18			72%	13/18									72%	13/18			
Finley Hall(0196) -N {ID 621}	28%	17/61	0%	0/40	81%	17/21			28%	17/61				0%	0/40				81%	17/21			
Finley Hall(0196) -N {ID 621}	28%	17/61	0%	0/40	81%	17/21			28%	17/61				0%	0/40				81%	17/21			
Finley Hall(0196) -W {ID 620}	25%	19/75			23%	17/75			23%	17/75									23%	17/75			2
Finley Hall(0196) -W {ID 620}	28%	21/75			25%	19/75			25%	19/75									25%	19/75			2
GEM(0199) -N {ID 436}	62%	34/55			62%	34/55	0%	0/55		34/0								0%	0/55		34/0		
GEM(0199) -N {ID 436}	56%	31/55			56%	31/55	0%	0/55		31/0								0%	0/55		31/0		
GEM(0199) -S {ID 435}	103%	62/60	102%	49/48	83%	10/12	98%	59/60				102%	49/48					83%	10/12				3
GEM(0199) -S {ID 435}	95%	57/60	100%	48/48	67%	8/12	93%	56/60				100%	48/48					67%	8/12				1
Gilbert Hall Addition(0012) -N {ID 417}	27%	19/70	27%	19/70			0%	0/70		19/0			0%	0/70		19/0							
Gilbert Hall Addition(0012) -N {ID 417}	26%	18/70	26%	18/70			0%	0/70		18/0			0%	0/70		18/0							
Gilbert Hall Addition(0012) -W {ID 416}	229%	71/31	229%	71/31				71/0	0%	0/31			71/0	0%	0/31								
Gilbert Hall Addition(0012) -W {ID 416}	219%	68/31	219%	68/31				68/0	0%	0/31			68/0	0%	0/31								
Gilbert Hall(0015) -N {ID 419}	75%	6/8			75%	6/8	75%	6/8										75%	6/8				
Gilbert Hall(0015) -N {ID 419}	63%	5/8			63%	5/8	63%	5/8										63%	5/8				
Gilbert Hall(0015) -S {ID 418}	67%	28/42			67%	28/42	67%	28/42										67%	28/42				
Gilbert Hall(0015) -S {ID 418}	102%	43/42			102%	43/42	102%	43/42										102%	43/42				
Gilbert Hall(0015) -W {ID 420}	29%	11/38			29%	11/38			29%	11/38									29%	11/38			
Gilbert Hall(0015) -W {ID 420}	74%	28/38			74%	28/38			74%	28/38									74%	28/38			
Gilkey Hall(0037) -NE {ID 333}	43%	6/14			43%	6/14			43%	6/14									43%	6/14			
Gilkey Hall(0037) -NE {ID 333}	50%	7/14			50%	7/14			50%	7/14									50%	7/14			
Gilkey Hall(0037) -NW {ID 311}	42%	5/12			42%	5/12			42%	5/12									42%	5/12			
Gilkey Hall(0037) -NW {ID 311}	83%	10/12			83%	10/12			83%	10/12									83%	10/12			
Gilkey Hall(0037) -S {ID 310}	85%	22/26			85%	22/26	85%	22/26										85%	22/26				
Gilkey Hall(0037) -S {ID 310}	69%	18/26			69%	18/26	69%	18/26										69%	18/26				
Gill Annex(0126) -SW {ID 636}	30%	3/10			30%	3/10	30%	3/10										30%	3/10				
Gill Annex(0126) -SW {ID 636}	30%	3/10			30%	3/10	30%	3/10										30%	3/10				
Gill Coliseum(0121) -N {ID 609}	39%	7/18	28%	5/18					28%	5/18				28%	5/18								2
Gill Coliseum(0121) -N {ID 609}	56%	10/18	44%	8/18					44%	8/18				44%	8/18								2
Gill Coliseum(0121) -S {ID 610}	214%	15/7	100%	7/7					100%	7/7				100%	7/7								8
Gill Coliseum(0121) -S {ID 610}	143%	10/7	114%	8/7					114%	8/7				114%	8/7								2
Gill Coliseum(0121) -SE {ID 611}	30%	8/27	0%	0/7	40%	8/20	40%	8/20	0%	0/7			0%	0/7				40%	8/20				
Gill Coliseum(0121) -SE {ID 611}	19%	5/27	0%	0/7	25%	5/20	25%	5/20	0%	0/7			0%	0/7				25%	5/20				
Gilmore Hall(0084) -E {ID 229}	60%	6/10			60%	6/10	0%	0/10		6/0								0%	0/10		6/0		

	Total Group		Covered All		Uncovered All		All Hoop		All Wheel		All Other		Covered Hoop		Covered Wheel		Cover Other		Uncovered Hoop		Uncovered Wheel		Uncovered Other		Bike Locker	Not in Rack	
Gilmore Hall(0084) -E {ID 229}	50%	5/10			50%	5/10	0%	0/10		5/0									0%	0/10		5/0					
Gilmore Hall(0084) -N {ID 228}	8%	1/12			8%	1/12			8%	1/12											8%	1/12					
Gilmore Hall(0084) -N {ID 228}	0%	0/12			0%	0/12			0%	0/12											0%	0/12					
Gilmore Hall(0121) -W {ID 201}	69%	33/48			69%	33/48	69%	33/48												69%	33/48						
Gilmore Hall(0121) -W {ID 201}	56%	27/48			56%	27/48	56%	27/48												56%	27/48						
Gladys Valley Gymnastics Center(0033) -E {ID 403}	70%	21/30	70%	21/30			70%	21/30					70%	21/30													
Gladys Valley Gymnastics Center(0033) -E {ID 403}	43%	13/30	43%	13/30			43%	13/30					43%	13/30													
Gleeson Hall (Chem Engr)(0016) -W {ID 415}	50%	25/50			50%	25/50	50%	25/50												50%	25/50						
Gleeson Hall (Chem Engr)(0016) -W {ID 415}	62%	31/50			62%	31/50	62%	31/50												62%	31/50						
Goss Stadium(0108) -SW {ID 521}	3%	1/40			3%	1/40	3%	1/40												3%	1/40						
Goss Stadium(0108) -SW {ID 521}	0%	0/40			0%	0/40	0%	0/40												0%	0/40						
Hallie Ford(0073) -SE {ID 255}	50%	8/16	100%	8/8	0%	0/8	0%	0/16		8/0			0%	0/8		8/0				0%	0/8						
Hallie Ford(0073) -SE {ID 255}	31%	5/16	63%	5/8	0%	0/8	0%	0/16		5/0			0%	0/8		5/0				0%	0/8						
Hawley Hall(0119) -N {ID 218}																											
Hawley Hall(0119) -N {ID 218}																											
Hawley Hall(0119) -S {ID 206}	150%	15/10	90%	9/10			0%	0/10		9/0			0%	0/10		9/0											6
Hawley Hall(0119) -S {ID 206}	160%	16/10	110%	11/10			0%	0/10		11/0			0%	0/10		11/0											5
Hawley Hall(0119) -S {ID 259}	75%	12/16	75%	12/16			75%	12/16					75%	12/16													
Hawley Hall(0119) -S {ID 259}	88%	14/16	88%	14/16			88%	14/16					88%	14/16													
Hawley Hall(0119) -W {ID 217}	70%	16/23			70%	16/23	70%	16/23												70%	16/23						
Hawley Hall(0119) -W {ID 217}	96%	22/23			91%	21/23	91%	21/23												91%	21/23						1
Heckert Lodge(0116) -E {ID 204}	70%	45/64	93%	37/40	33%	8/24	70%	45/64					93%	37/40						33%	8/24						
Heckert Lodge(0116) -E {ID 204}	67%	43/64	78%	31/40	50%	12/24	67%	43/64					78%	31/40						50%	12/24						
Heckert Lodge(0116) -N {ID 205}	42%	5/12			42%	5/12	42%	5/12												42%	5/12						
Heckert Lodge(0116) -N {ID 205}	83%	10/12			83%	10/12	83%	10/12												83%	10/12						
Hinsdale WRL(0137) -N {ID 121}	0%	0/4	0%	0/4			0%	0/4					0%	0/4													
Hinsdale WRL(0137) -N {ID 121}	25%	1/4	25%	1/4			25%	1/4					25%	1/4													
Hovland Hall(0092) -N {ID 227}	5%	1/20			5%	1/20	5%	1/20												5%	1/20						
Hovland Hall(0092) -N {ID 227}	0%	0/20			0%	0/20	0%	0/20												0%	0/20						
Hovland Hall(0092) -S {ID 226}	33%	9/27			33%	9/27	35%	7/20	29%	2/7										35%	7/20	29%	2/7				
Hovland Hall(0092) -S {ID 226}	33%	9/27			33%	9/27	45%	9/20	0%	0/7										45%	9/20	0%	0/7				
ILLC(0207) -N {ID 643}	125%	35/28			93%	26/28	93%	26/28												93%	26/28						9
ILLC(0207) -N {ID 643}	154%	43/28			96%	27/28	96%	27/28												96%	27/28						16
ILLC(0207) -NE {ID 644}	156%	25/16	100%	16/16			100%	16/16					100%	16/16													9
ILLC(0207) -NE {ID 644}	156%	25/16	125%	20/16			125%	20/16					125%	20/16													5
ILLC(0207) -S {ID 640}	80%	24/30	80%	24/30			80%	24/30					80%	24/30													
ILLC(0207) -S {ID 640}	93%	28/30	93%	28/30			93%	28/30					93%	28/30													
ILLC(0207) -SE {ID 645}	75%	12/16			75%	12/16	75%	12/16												75%	12/16						
ILLC(0207) -SE {ID 645}	75%	12/16			75%	12/16	75%	12/16												75%	12/16						
ILLC(0207) -SW {ID 641}	86%	126/146	95%	95/100	67%	31/46	86%	126/146					95%	95/100						67%	31/46						
ILLC(0207) -SW {ID 641}	77%	113/146	86%	86/100	59%	27/46	77%	113/146					86%	86/100						59%	27/46						
ILLC(0207) -W {ID 642}	117%	21/18			83%	15/18	83%	15/18												83%	15/18						6
ILLC(0207) -W {ID 642}	111%	20/18			100%	18/18	100%	18/18												100%	18/18						2
Kearney Hall(0001) -E {ID 434}	68%	34/50			68%	34/50	68%	34/50												68%	34/50						
Kearney Hall(0001) -E {ID 434}	80%	40/50			78%	39/50	78%	39/50												78%	39/50						1
Kearney Hall(0001) -N {ID 433}	78%	14/18			78%	14/18	78%	14/18												78%	14/18						
Kearney Hall(0001) -N {ID 433}	83%	15/18			83%	15/18	83%	15/18												83%	15/18						
Kelley Engineering Center(0003) -E {ID 318}	50%	24/48	46%	22/48			46%	22/48					46%	22/48													2
Kelley Engineering Center(0003) -E {ID 318}	40%	19/48	40%	19/48			40%	19/48					40%	19/48													
Kelley Engineering Center(0003) -NE {ID 317}	54%	13/24			54%	13/24	54%	13/24												54%	13/24						
Kelley Engineering Center(0003) -NE {ID 317}	79%	19/24			79%	19/24	79%	19/24												79%	19/24						
Kerr Administration Bldg(0061) -E {ID 513}	41%	22/54	78%	21/27	4%	1/27				18/0	7%	4/54				18/0	11%	3/27					4%	1/27			
Kerr Administration Bldg(0061) -E {ID 513}	57%	31/54	100%	27/27	15%	4/27				21/0	19%	10/54				21/0	22%	6/27					15%	4/27			
Kerr Administration Bldg(0061) -W {ID 512}	36%	23/64	36%	23/64					36%	23/64				36%	23/64												
Kerr Administration Bldg(0061) -W {ID 512}	55%	35/64	55%	35/64					55%	35/64				55%	35/64												

	Total Group		Covered All		Uncovered All		All Hoop		All Wheel		All Other	Covered Hoop		Covered Wheel		Cover Other	Uncovered Hoop		Uncovered Wheel		Uncovered Other	Bike Locker	Not in Rack	
Key Shop(0048) -S {ID 515}	0%	0/3	0%	0/3					0%	0/3					0%	0/3								
Key Shop(0048) -S {ID 515}	0%	0/3	0%	0/3					0%	0/3					0%	0/3								
Kidder Hall(0034) -N {ID 413}	78%	70/90			77%	69/90	83%	63/76	43%	6/14							83%	63/76	43%	6/14			1	
Kidder Hall(0034) -N {ID 413}	56%	50/90			52%	47/90	53%	40/76	50%	7/14							53%	40/76	50%	7/14			3	
Kidder Hall(0034) -S {ID 412}	81%	21/26			81%	21/26	81%	21/26									81%	21/26						
Kidder Hall(0034) -S {ID 412}	88%	23/26			88%	23/26	88%	23/26									88%	23/26						
Kidder Hall(0034) -W {ID 414}	30%	3/10			30%	3/10	30%	3/10									30%	3/10						
Kidder Hall(0034) -W {ID 414}	60%	6/10			50%	5/10	50%	5/10									50%	5/10					1	
Langton Hall(0105) -N {ID 503}	50%	38/76			50%	38/76	50%	38/76									50%	38/76						
Langton Hall(0105) -N {ID 503}	51%	39/76			49%	37/76	49%	37/76									49%	37/76					2	
LaSells Stewart Center(0200) -N {ID 615}	38%	8/21			33%	7/21			33%	7/21									33%	7/21			1	
LaSells Stewart Center(0200) -N {ID 615}	14%	3/21			14%	3/21			14%	3/21									14%	3/21				
Linus Pauling Science Center(0071) -N {ID 210}	50%	20/40			50%	20/40	50%	20/40									50%	20/40						
Linus Pauling Science Center(0071) -N {ID 210}	55%	22/40			55%	22/40	55%	22/40									55%	22/40						
Linus Pauling Science Center(0071) -S {ID 202}	59%	20/34			59%	20/34	59%	20/34									59%	20/34						
Linus Pauling Science Center(0071) -S {ID 202}	53%	18/34			53%	18/34	53%	18/34									53%	18/34						
Magruder Hall(0153) -E {ID 602}	47%	23/49	47%	23/49			47%	23/49				47%	23/49											
Magruder Hall(0153) -E {ID 602}	57%	28/49	57%	28/49			57%	28/49				57%	28/49											
Magruder Hall(0153) -S {ID 601}	52%	15/29	52%	15/29			52%	15/29				52%	15/29											
Magruder Hall(0153) -S {ID 601}	48%	14/29	48%	14/29			48%	14/29				48%	14/29											
McAlexander Filedhouse(0053) -W {ID 514}	10%	3/30	20%	2/10	5%	1/20	10%	3/30				20%	2/10				5%	1/20						
McAlexander Filedhouse(0053) -W {ID 514}	17%	5/30	20%	2/10	10%	2/20	13%	4/30				20%	2/10				10%	2/20					1	
McNary Hall(0190) -N {ID 519}	108%	115/106			103%	109/106			103%	109/106									103%	109/106			6	
McNary Hall(0190) -N {ID 519}	101%	107/106			94%	100/106			94%	100/106									94%	100/106			7	
Memorial Union Bldg(0083) -E {ID 304}	87%	47/54	98%	47/48	0%	0/6	87%	47/54				98%	47/48				0%	0/6						
Memorial Union Bldg(0083) -E {ID 304}	52%	28/54	56%	27/48	0%	0/6	50%	27/54				56%	27/48				0%	0/6					1	
Memorial Union Bldg(0083) -NNW {ID 303}	100%	20/20			100%	20/20	100%	20/20									100%	20/20						
Memorial Union Bldg(0083) -NNW {ID 303}	90%	18/20			90%	18/20	90%	18/20									90%	18/20						
Memorial Union Bldg(0083) -NW {ID 302}	90%	18/20			90%	18/20	90%	18/20									90%	18/20						
Memorial Union Bldg(0083) -NW {ID 302}	85%	17/20			85%	17/20	85%	17/20									85%	17/20						
Memorial Union Bldg(0083) -S {ID 331}	40%	4/10			40%	4/10	40%	4/10									40%	4/10						
Memorial Union Bldg(0083) -S {ID 331}	10%	1/10			10%	1/10	10%	1/10									10%	1/10						
Memorial Union Bldg(0083) -W {ID 301}	103%	41/40			78%	31/40	78%	31/40									78%	31/40					10	
Memorial Union Bldg(0083) -W {ID 301}	55%	22/40			55%	22/40	55%	22/40									55%	22/40						
Merrit Truax Indoor Practice Center(0142) -SE {ID 414}	5%	1/20	5%	1/20			5%	1/20				5%	1/20											
Merrit Truax Indoor Practice Center(0142) -SE {ID 414}	0%	0/20	0%	0/20			0%	0/20				0%	0/20											
Merryfield Hall(0002) -W {ID 430}	57%	4/7			43%	3/7			43%	3/7									43%	3/7			1	
Merryfield Hall(0002) -W {ID 430}	71%	5/7			71%	5/7			71%	5/7									71%	5/7				
Milam Hall(0081) -E {ID 315}	64%	9/14			64%	9/14			64%	9/14									64%	9/14				
Milam Hall(0081) -E {ID 315}	29%	4/14			29%	4/14			29%	4/14									29%	4/14				
Milam Hall(0081) -N {ID 312}	58%	14/24			58%	14/24	58%	14/24									58%	14/24						
Milam Hall(0081) -N {ID 312}	71%	17/24			67%	16/24	67%	16/24									67%	16/24					1	
Milam Hall(0081) -S {ID 313}	33%	9/27			33%	9/27			33%	9/27									33%	9/27				
Milam Hall(0081) -S {ID 313}	63%	17/27			63%	17/27			63%	17/27									63%	17/27				
Milam Hall(0081) -SW {ID 334}	43%	17/40			43%	17/40	43%	17/40									43%	17/40						
Milam Hall(0081) -SW {ID 334}	40%	16/40			40%	16/40	40%	16/40									40%	16/40						
Milam Hall(0081) -W {ID 314}	20%	15/76			20%	15/76	20%	15/76									20%	15/76						
Milam Hall(0081) -W {ID 314}	34%	26/76			34%	26/76	34%	26/76									34%	26/76						
Milam Hall(0081) -W {ID 335}	98%	47/48	98%	47/48			98%	47/48				98%	47/48											
Milam Hall(0081) -W {ID 335}	54%	26/48	54%	26/48			54%	26/48				54%	26/48											
Milne Computer Center(0020) -E {ID 411}	72%	13/18			67%	12/18	67%	12/18									67%	12/18					1	
Milne Computer Center(0020) -E {ID 411}	100%	18/18			94%	17/18	94%	17/18									94%	17/18					1	
Moreland Hall(0106) -N {ID 502}	78%	25/32			75%	24/32	95%	19/20	42%	5/12							95%	19/20	42%	5/12			1	
Moreland Hall(0106) -N {ID 502}	25%	8/32			25%	8/32	35%	7/20	8%	1/12							35%	7/20	8%	1/12				
Multi Animal Teaching Facility(0364) -S {ID 100}	0%	0/32			0%	0/32	0%	0/32									0%	0/32						

	Total Group		Covered All		Uncovered All		All Hoop		All Wheel		All Other		Covered Hoop		Covered Wheel		Cover Other		Uncovered Hoop		Uncovered Wheel		Uncovered Other		Bike Locker	Not in Rack	
Multi Animal Teaching Facility(0364) -S {ID 100}	0%	0/32			0%	0/32	0%	0/32												0%	0/32						
Nash Hall(0021) -N {ID 200}	96%	46/48	96%	46/48			96%	46/48					96%	46/48													
Nash Hall(0021) -N {ID 200}	88%	42/48	88%	42/48			88%	42/48					88%	42/48													
Nash Hall(0021) -N {ID 225}	65%	55/84			65%	55/84	65%	55/84												65%	55/84						
Nash Hall(0021) -N {ID 225}	55%	46/84			55%	46/84	55%	46/84												55%	46/84						
National Forage Seed Center(NInv-156) -S {ID 119}	11%	4/36	11%	4/36				4/0	0%	0/36				4/0	0%	0/36											
National Forage Seed Center(NInv-156) -S {ID 119}	11%	4/36	11%	4/36				4/0	0%	0/36				4/0	0%	0/36											
Native American Longhouse(0107) -W {ID 501}	18%	2/11		2/0	0%	0/11			0%	0/11												0%	0/11			2/0	
Native American Longhouse(0107) -W {ID 501}	9%	1/11		1/0	0%	0/11			0%	0/11												0%	0/11			1/0	
Navy ROTC Armory(0117) -E {ID 507}	43%	6/14	43%	6/14					43%	6/14					43%	6/14											
Navy ROTC Armory(0117) -E {ID 507}	29%	4/14	29%	4/14					29%	4/14					29%	4/14											
Oak Creek Building(0545) -N {ID 632}	7%	1/14			7%	1/14			7%	1/14												7%	1/14				
Oak Creek Building(0545) -N {ID 632}	7%	1/14			7%	1/14			7%	1/14												7%	1/14				
Oak Creek Building(0545) -S {ID 633}	15%	3/20	15%	3/20			15%	3/20					15%	3/20													
Oak Creek Building(0545) -S {ID 633}	20%	4/20	20%	4/20			20%	4/20					20%	4/20													
Oak Creek Building(0545) -SE {ID 635}	100%	11/11	91%	10/11			91%	10/11					91%	10/11													1
Oak Creek Building(0545) -SE {ID 635}	100%	11/11	91%	10/11			91%	10/11					91%	10/11													1
Oak Creek(0814) -S {ID 638}	0%	0/7			0%	0/7			0%	0/7												0%	0/7				
Oak Creek(0814) -S {ID 638}	0%	0/7			0%	0/7			0%	0/7												0%	0/7				
Orchard Court Unit-B(0202-B) -N {ID 124}	19%	5/27			19%	5/27			19%	5/27												19%	5/27				
Orchard Court Unit-B(0202-B) -N {ID 124}	19%	5/27			19%	5/27			19%	5/27												19%	5/27				
Orchard Court(0202) -S {ID 117}	88%	23/26	81%	21/26					81%	21/26					81%	21/26											2
Orchard Court(0202) -S {ID 117}	104%	27/26	92%	24/26					92%	24/26					92%	24/26											3
Owen Hall(0022) -S {ID 431}	52%	45/86			51%	44/86	51%	44/86												51%	44/86						1
Owen Hall(0022) -S {ID 431}	67%	58/86			67%	58/86	67%	58/86												67%	58/86						
Owen Hall(0022) -W {ID 432}	35%	8/23	0%	0/23							0%	0/23								0%	0/23						8
Owen Hall(0022) -W {ID 432}	13%	3/23	0%	0/23							0%	0/23								0%	0/23						3
Oxford House(0220) -N {ID 523}	46%	16/35			46%	16/35			46%	16/35												46%	16/35				
Oxford House(0220) -N {ID 523}	37%	13/35			37%	13/35			37%	13/35												37%	13/35				
Parking Structure(0058) -NNW {ID 628}	75%	18/24	75%	18/24			75%	18/24					75%	18/24													
Parking Structure(0058) -NNW {ID 628}	54%	13/24	54%	13/24			54%	13/24					54%	13/24													
Peavy Hall(0124) -E {ID 105}	32%	16/50	32%	16/50			32%	16/50					32%	16/50													
Peavy Hall(0124) -E {ID 105}	92%	46/50	0%	0/50		41/0	82%	41/50					0%	0/50								41/0					5
Peavy Hall(0124) -N {ID 106}	71%	54/76	50%	38/76		14/0	68%	52/76					50%	38/76								14/0					2
Peavy Hall(0124) -N {ID 106}	0%	0/76	0%	0/76			0%	0/76					0%	0/76													
Peavy Hall(0124) -NW {ID 127}	5%	2/40			5%	2/40	5%	2/40												5%	2/40						
Peavy Hall(0124) -NW {ID 127}	20%	8/40			20%	8/40	20%	8/40												20%	8/40						
Peavy Hall(0124) -S {ID 107}	86%	6/7			86%	6/7			86%	6/7													86%	6/7			
Peavy Hall(0124) -S {ID 107}	57%	4/7			57%	4/7			57%	4/7													57%	4/7			
Peavy Hall(0124) -W {ID 104}	0%	0/10			0%	0/10	0%	0/10												0%	0/10						
Peavy Hall(0124) -W {ID 104}	0%	0/10			0%	0/10	0%	0/10												0%	0/10						
Physical Plant Heating Plant(0056) -E {ID 530}	0%	0/7			0%	0/7			0%	0/7													0%	0/7			
Physical Plant Heating Plant(0056) -E {ID 530}	0%	0/7			0%	0/7			0%	0/7													0%	0/7			
Plageman Student Health CR(0062) -E {ID 329}	80%	8/10			80%	8/10	80%	8/10														80%	8/10				
Plageman Student Health CR(0062) -E {ID 329}	20%	2/10			20%	2/10	20%	2/10														20%	2/10				
Plageman Student Health CR(0062) -NW {ID 327}	26%	5/19	50%	5/10	0%	0/9	50%	5/10	0%	0/9			50%	5/10								0%	0/9				
Plageman Student Health CR(0062) -NW {ID 327}	32%	6/19	60%	6/10	0%	0/9	60%	6/10	0%	0/9			60%	6/10								0%	0/9				
Plageman Student Health CR(0062) -NW {ID 328}	100%	10/10			100%	10/10	100%	10/10														100%	10/10				
Plageman Student Health CR(0062) -NW {ID 328}	0%	0/10			0%	0/10	0%	0/10														0%	0/10				
Plageman Student Health CR(0062) -S {ID 326}	100%	31/31	129%	31/24	0%	0/7	129%	31/24	0%	0/7			129%	31/24								0%	0/7				
Plageman Student Health CR(0062) -S {ID 326}	65%	20/31	83%	20/24	0%	0/7	83%	20/24	0%	0/7			83%	20/24								0%	0/7				
Poling Hall(0112) -N {ID 215}	64%	27/42			64%	27/42			64%	27/42													64%	27/42			
Poling Hall(0112) -N {ID 215}	64%	27/42			64%	27/42			64%	27/42													64%	27/42			
Poling Hall(0112) -NW {ID 208}	42%	10/24			42%	10/24	50%	5/10	36%	5/14												50%	5/10	36%	5/14		
Poling Hall(0112) -NW {ID 208}	50%	12/24			50%	12/24	100%	10/10	14%	2/14												100%	10/10	14%	2/14		

	Total Group		Covered All		Uncovered All		All Hoop		All Wheel		All Other	Covered Hoop		Covered Wheel		Cover Other	Uncovered Hoop		Uncovered Wheel		Uncovered Other	Bike Locker	Not in Rack
Poling Hall(0112) -W {ID 216}	129%	18/14	100%	14/14					100%	14/14													4
Poling Hall(0112) -W {ID 216}	121%	17/14	100%	14/14					100%	14/14													3
Poling Hall(0112) -W {ID 258}	97%	35/36	110%	22/20	81%	13/16	97%	35/36				110%	22/20				81%	13/16					
Poling Hall(0112) -W {ID 258}	100%	36/36	100%	20/20	81%	13/16	92%	33/36				100%	20/20				81%	13/16					3
Pride Center(0853) -NE {ID 637}	14%	1/7	14%	1/7					14%	1/7													
Pride Center(0853) -NE {ID 637}	71%	5/7	43%	3/7					43%	3/7													2
Prop Svcs(0862) -S {ID 522}	100%	7/7			100%	7/7			100%	7/7									100%	7/7			
Prop Svcs(0862) -S {ID 522}	57%	4/7			57%	4/7			57%	4/7									57%	4/7			
Radiation Center(0098) -S {ID 103}	64%	18/28	57%	16/28					57%	16/28													2
Radiation Center(0098) -S {ID 103}	64%	18/28	61%	17/28					61%	17/28													1
Reed Lodge(0118) -E {ID 261}	19%	3/16			19%	3/16	19%	3/16										19%	3/16				
Reed Lodge(0118) -E {ID 261}	63%	10/16			63%	10/16	63%	10/16										63%	10/16				
Reed Lodge(0118) -N {ID 260}	13%	8/60	20%	8/40	0%	0/20	13%	8/60				20%	8/40				0%	0/20					
Reed Lodge(0118) -N {ID 260}	5%	3/60	8%	3/40	0%	0/20	5%	3/60				8%	3/40				0%	0/20					
Reser Stadium(0120) -N {ID 605}	5%	2/43			5%	2/43	10%	2/20	0%	0/23							10%	2/20	0%	0/23			
Reser Stadium(0120) -N {ID 605}	7%	3/43			7%	3/43	10%	2/20	4%	1/23							10%	2/20	4%	1/23			
Reser Stadium(0120) -S {ID 604}	0%	0/20	0%	0/20			0%	0/20				0%	0/20										
Reser Stadium(0120) -S {ID 604}	0%	0/20	0%	0/20			0%	0/20				0%	0/20										
Reser Stadium(0120) -SW {ID 608}	0%	0/8			0%	0/8	0%	0/8										0%	0/8				
Reser Stadium(0120) -SW {ID 608}	0%	0/8			0%	0/8	0%	0/8										0%	0/8				
Richardson Hall(0148) -S {ID 109}	40%	4/10			40%	4/10	40%	4/10										40%	4/10				
Richardson Hall(0148) -S {ID 109}	50%	5/10			50%	5/10	50%	5/10										50%	5/10				
Richardson Hall(0148) -W {ID 108}	38%	15/40	38%	15/40			38%	15/40				38%	15/40										
Richardson Hall(0148) -W {ID 108}	38%	15/40	38%	15/40			38%	15/40				38%	15/40										
Rogers Hall(0019) -E {ID 423}	40%	4/10			40%	4/10	40%	4/10										40%	4/10				
Rogers Hall(0019) -E {ID 423}	40%	4/10			40%	4/10	40%	4/10										40%	4/10				
Rogers Hall(0019) -N {ID 421}	100%	18/18			94%	17/18	94%	17/18										94%	17/18				1
Rogers Hall(0019) -N {ID 421}	89%	16/18			78%	14/18	78%	14/18										78%	14/18				2
Rogers Hall(0019) -S {ID 422}	14%	1/7			14%	1/7			14%	1/7									14%	1/7			
Rogers Hall(0019) -S {ID 422}	29%	2/7			29%	2/7			29%	2/7									29%	2/7			
Sackett Hall(0096) -NE {ID 253}	86%	6/7			86%	6/7			86%	6/7									86%	6/7			
Sackett Hall(0096) -NE {ID 253}	114%	8/7			100%	7/7			100%	7/7									100%	7/7			1
Sackett Hall(0096) -NNW {ID 252}	115%	15/13			100%	13/13			100%	13/13									100%	13/13			2
Sackett Hall(0096) -NNW {ID 252}	108%	14/13			100%	13/13			100%	13/13									100%	13/13			1
Sackett Hall(0096) -NW {ID 251}	71%	5/7			71%	5/7			71%	5/7									71%	5/7			
Sackett Hall(0096) -NW {ID 251}	86%	6/7			86%	6/7			86%	6/7									86%	6/7			
Seed Lab(0101) -N {ID 128}	0%	0/7			0%	0/7			0%	0/7									0%	0/7			
Seed Lab(0101) -N {ID 128}	0%	0/7			0%	0/7			0%	0/7									0%	0/7			
Shepard Hall(0014) -S {ID 426}	38%	5/13			38%	5/13			38%	5/13									38%	5/13			
Shepard Hall(0014) -S {ID 426}	38%	5/13			23%	3/13			23%	3/13									23%	3/13			2
Shops(0045) -NW {ID 529}	0%	0/6			0%	0/6	0%	0/6										0%	0/6				
Shops(0045) -NW {ID 529}	0%	0/6			0%	0/6	0%	0/6										0%	0/6				
Snell Hall/ MU East(0100) -E {ID 510}	14%	10/74	14%	10/74					14%	10/74													
Snell Hall/ MU East(0100) -E {ID 510}	9%	7/74	9%	7/74					9%	7/74													
Snell Hall/ MU East(0100) -N {ID 511}	32%	6/19			32%	6/19	100%	6/6	0%	0/13								100%	6/6	0%	0/13		
Snell Hall/ MU East(0100) -N {ID 511}	47%	9/19			47%	9/19	100%	6/6	23%	3/13								100%	6/6	23%	3/13		
Snell Hall/ MU East(0100) -W {ID 509}	39%	16/41			39%	16/41			0%	0/41	16/0								0%	0/41		16/0	
Snell Hall/ MU East(0100) -W {ID 509}	29%	12/41			29%	12/41			0%	0/41	12/0								0%	0/41		12/0	
Strand Agricultural Hall(0038) -E {ID 309}	48%	20/42			48%	20/42			48%	20/42										48%	20/42		
Strand Agricultural Hall(0038) -E {ID 309}	31%	13/42			31%	13/42			31%	13/42										31%	13/42		
Strand Agricultural Hall(0038) -N {ID 307}	60%	21/35			57%	20/35	80%	8/10	48%	12/25								80%	8/10	48%	12/25		1
Strand Agricultural Hall(0038) -N {ID 307}	37%	13/35			34%	12/35	0%	0/10	48%	12/25								0%	0/10	48%	12/25		1
Strand Agricultural Hall(0038) -S {ID 305}	41%	37/91	84%	27/32	17%	10/59	116%	37/32	0%	0/59		84%	27/32					10/0	0%	0/59			
Strand Agricultural Hall(0038) -S {ID 305}	23%	21/91	44%	14/32	10%	6/59	63%	20/32	0%	0/59		44%	14/32					6/0	0%	0/59		1	
Strand Agricultural Hall(0038) -W {ID 308}	38%	5/13			38%	5/13			38%	5/13									38%	5/13			



	Total Group		Covered All		Uncovered All		All Hoop		All Wheel		All Other		Covered Hoop		Covered Wheel		Cover Other		Uncovered Hoop		Uncovered Wheel		Uncovered Other		Bike Locker	Not in Rack	
Strand Agricultural Hall(0038) -W {ID 308}	31%	4/13			31%	4/13			31%	4/13												31%	4/13				
Student Legacy Park(0127) -N {ID 212}	0%	0/60			0%	0/60	0%	0/60												0%	0/60						
Student Legacy Park(0127) -N {ID 212}	0%	0/60			0%	0/60	0%	0/60												0%	0/60						
Student Legacy Park(0127) -N {ID 263}	23%	13/56			23%	13/56	23%	13/56												23%	13/56						
Student Legacy Park(0127) -N {ID 263}	21%	12/56			21%	12/56	21%	12/56												21%	12/56						
Student Legacy Park(127) -N {ID 234}	9%	3/32			9%	3/32	9%	3/32												9%	3/32						
Student Legacy Park(127) -N {ID 234}	34%	11/32			34%	11/32	34%	11/32												34%	11/32						
Student Success Center(0206) -N {ID 639}	53%	8/15	53%	8/15			53%	8/15					53%	8/15													
Student Success Center(0206) -N {ID 639}	40%	6/15	40%	6/15			40%	6/15					40%	6/15													
Student Success Center(0206) -W {ID 613}	0%	0/12			0%	0/12	0%	0/12												0%	0/12						
Student Success Center(0206) -W {ID 613}	0%	0/12			0%	0/12	0%	0/12												0%	0/12						
Student Success Center(0206) -W {ID 617}	6%	1/16			6%	1/16	6%	1/16												6%	1/16						
Student Success Center(0206) -W {ID 617}	0%	0/16			0%	0/16	0%	0/16												0%	0/16						
Tennis Pavillion(0127) -E {ID 268}	5%	1/20	5%	1/20			5%	1/20					5%	1/20													
Tennis Pavillion(0127) -E {ID 268}	5%	1/20	5%	1/20			5%	1/20					5%	1/20													
Tennis Pavillion(0127) -N {ID 266}	0%	0/10			0%	0/10	0%	0/10												0%	0/10						
Tennis Pavillion(0127) -N {ID 266}	0%	0/10			0%	0/10	0%	0/10												0%	0/10						
Tennis Pavillion(0127) -NE {ID 267}	50%	10/20			50%	10/20	50%	10/20												50%	10/20						
Tennis Pavillion(0127) -NE {ID 267}	60%	12/20			55%	11/20	55%	11/20												55%	11/20						1
Tennis Pavillion(0127) -NW {ID 264}	0%	0/6			0%	0/6	0%	0/6												0%	0/6						
Tennis Pavillion(0127) -NW {ID 264}	0%	0/6			0%	0/6	0%	0/6												0%	0/6						
Tennis Pavillion(0127) -W {ID 265}	0%	0/20	0%	0/20			0%	0/20					0%	0/20													
Tennis Pavillion(0127) -W {ID 265}	20%	4/20	20%	4/20			20%	4/20					20%	4/20													
The Valley Library(0036) -W {ID 401}	123%	118/96	147%	94/64	72%	23/32	122%	117/96					147%	94/64						72%	23/32						1
The Valley Library(0036) -W {ID 401}	106%	102/96	114%	73/64	88%	28/32	105%	101/96					114%	73/64						88%	28/32						1
Transportation Services(0135) -E {ID 114}	50%	2/4	50%	2/4					50%	2/4																	
Transportation Services(0135) -E {ID 114}	0%	0/4	0%	0/4					0%	0/4																	
USDA Forestry Sciences Lab(2006) -E {ID 112}	0%	0/7			0%	0/7			0%	0/7												0%	0/7				
USDA Forestry Sciences Lab(2006) -E {ID 112}	0%	0/7			0%	0/7			0%	0/7												0%	0/7				
USDA Forestry Sciences Lab(2006) -N {ID 126}	36%	5/14	36%	5/14			36%	5/14					36%	5/14													
USDA Forestry Sciences Lab(2006) -N {ID 126}	57%	8/14	57%	8/14			57%	8/14					57%	8/14													
USDA Forestry Sciences Lab(2006) -S {ID 116}	4%	1/26			4%	1/26	4%	1/26												4%	1/26						
USDA Forestry Sciences Lab(2006) -S {ID 116}	8%	2/26			8%	2/26	8%	2/26												8%	2/26						
USDA Forestry Sciences Lab(2006) -W {ID 130}	42%	32/76	52%	32/62	0%	0/14	56%	19/34	31%	13/42			56%	19/34	46%	13/28				0%	0/14						
USDA Forestry Sciences Lab(2006) -W {ID 130}	39%	30/76	47%	29/62	7%	1/14	53%	18/34	29%	12/42			53%	18/34	39%	11/28				7%	1/14						
Valley Football Center(0143) -N {ID 606}	76%	28/37			59%	22/37	75%	15/20	41%	7/17										75%	15/20	41%	7/17				6
Valley Football Center(0143) -N {ID 606}	86%	32/37			62%	23/37	85%	17/20	35%	6/17										85%	17/20	35%	6/17				9
Vet Research Lab(0154) -E {ID 111}	0%	0/6	0%	0/6					0%	0/6																	
Vet Research Lab(0154) -E {ID 111}	17%	1/6	17%	1/6					17%	1/6																	
Waldo Hall(0102) -E {ID 533}	110%	11/10			110%	11/10	110%	11/10												110%	11/10						
Waldo Hall(0102) -E {ID 533}	120%	12/10			100%	10/10	100%	10/10																			2
Waldo Hall(0102) -N {ID 508}	150%	9/6			117%	7/6			117%	7/6													117%	7/6			2
Waldo Hall(0102) -N {ID 508}	117%	7/6			117%	7/6			117%	7/6													117%	7/6			
Weatherford Hall(0109) -N {ID 250}	50%	10/20			50%	10/20	50%	10/20												50%	10/20						
Weatherford Hall(0109) -N {ID 250}	85%	17/20			80%	16/20	80%	16/20												80%	16/20						1
Weatherford Hall(0109) -NE {ID 220}	60%	12/20			60%	12/20	60%	12/20												60%	12/20						
Weatherford Hall(0109) -NE {ID 220}	90%	18/20			60%	12/20	60%	12/20												60%	12/20						6
Weatherford Hall(0109) -S {ID 219}	90%	9/10			90%	9/10	90%	9/10												90%	9/10						
Weatherford Hall(0109) -S {ID 219}	80%	8/10			80%	8/10	80%	8/10												80%	8/10						
Weatherford Hall(0109) -W {ID 245}	43%	13/30			43%	13/30	43%	13/30												43%	13/30						
Weatherford Hall(0109) -W {ID 245}	47%	14/30			47%	14/30	47%	14/30												47%	14/30						
Weatherford Hall(0109) -W {ID 262}	60%	6/10			60%	6/10	60%	6/10												60%	6/10						
Weatherford Hall(0109) -W {ID 262}	60%	6/10			60%	6/10	60%	6/10												60%	6/10						
Weniger Hall(0017) -E {ID 325}	40%	8/20			40%	8/20			40%	8/20												40%	8/20				
Weniger Hall(0017) -E {ID 325}	10%	2/20			10%	2/20			10%	2/20												10%	2/20				

	Total Group		Covered All		Uncovered All		All Hoop		All Wheel		All Other	Covered Hoop		Covered Wheel		Cover Other	Uncovered Hoop		Uncovered Wheel		Uncovered Other	Bike Locker	Not in Rack
Weniger Hall(0017) -S {ID 322}	73%	32/44			73%	32/44	87%	26/30	43%	6/14							87%	26/30	43%	6/14			
Weniger Hall(0017) -S {ID 322}	57%	25/44			57%	25/44	80%	24/30	7%	1/14							80%	24/30	7%	1/14			
Weniger Hall(0017) -WNW {ID 324}	30%	24/80			30%	24/80	30%	24/80									30%	24/80					
Weniger Hall(0017) -WNW {ID 324}	81%	65/80			80%	64/80	80%	64/80									80%	64/80					1
Weniger Hall(0017) -WSW {ID 323}	91%	31/34			88%	30/34	106%	19/18	69%	11/16							106%	19/18	69%	11/16			1
Weniger Hall(0017) -WSW {ID 323}	82%	28/34			82%	28/34	72%	13/18	94%	15/16							72%	13/18	94%	15/16			
West Dining Hall(0113) -W {ID 203}	100%	16/16			100%	16/16	100%	16/16									100%	16/16					
West Dining Hall(0113) -W {ID 203}	88%	14/16			88%	14/16	88%	14/16									88%	14/16					
West Hall(0115) -E {ID 211}	93%	37/40	94%	30/32	88%	7/8	93%	37/40				94%	30/32				88%	7/8					
West Hall(0115) -E {ID 211}	123%	49/40	128%	41/32	88%	7/8	120%	48/40				128%	41/32				88%	7/8					1
Wiegand Hall(0128) -E {ID 115}	95%	19/20	100%	14/14	50%	3/6	85%	17/20				100%	14/14				50%	3/6					2
Wiegand Hall(0128) -E {ID 115}	75%	15/20	86%	12/14	33%	2/6	70%	14/20				86%	12/14				33%	2/6					1
Wiegand Hall(0128) -SE {ID 125}	25%	15/60			25%	15/60	25%	15/60									25%	15/60					
Wiegand Hall(0128) -SE {ID 125}	47%	28/60			47%	28/60	47%	28/60									47%	28/60					
Wilkinson Hall/Gilfillan Aud(0070) -E {ID 242}	82%	56/68			82%	56/68	82%	56/68									82%	56/68					
Wilkinson Hall/Gilfillan Aud(0070) -E {ID 242}	87%	59/68			85%	58/68	85%	58/68									85%	58/68					1
Wilkinson Hall/Gilfillan Aud(0070) -N {ID 243}	108%	40/37			100%	37/37	110%	11/10	96%	26/27							110%	11/10	96%	26/27			3
Wilkinson Hall/Gilfillan Aud(0070) -N {ID 243}	81%	30/37			73%	27/37	0%	0/10	100%	27/27							0%	0/10	100%	27/27			3
Wilkinson Hall/Gilfillan Aud(0070) -S {ID 239}	91%	20/22			86%	19/22			86%	19/22								86%	19/22				1
Wilkinson Hall/Gilfillan Aud(0070) -S {ID 239}	91%	20/22			86%	19/22			86%	19/22								86%	19/22				1
Wilkinson Hall/Gilfillan Aud(0070) -W {ID 240}	83%	10/12			75%	9/12			75%	9/12								75%	9/12				1
Wilkinson Hall/Gilfillan Aud(0070) -W {ID 240}	42%	5/12			33%	4/12			33%	4/12								33%	4/12				1
Wilson Hall(0191) -N {ID 520}	88%	96/109			79%	86/109			79%	86/109								79%	86/109				10
Wilson Hall(0191) -N {ID 520}	78%	85/109			70%	76/109			70%	76/109								70%	76/109				9
Wilson Hall(0191) -S {ID 518}	54%	40/74			54%	40/74			54%	40/74								54%	40/74				
Wilson Hall(0191) -S {ID 518}	61%	45/74			59%	44/74			59%	44/74								59%	44/74				1
Withycombe Hall(0075) -S {ID 237}	46%	23/50			46%	23/50	46%	23/50									46%	23/50					
Withycombe Hall(0075) -S {ID 237}	32%	16/50			32%	16/50	32%	16/50									32%	16/50					
Withycombe Hall(0075) -W {ID 238}	26%	5/19	26%	5/19					26%	5/19			26%	5/19									
Withycombe Hall(0075) -W {ID 238}	53%	10/19	53%	10/19					53%	10/19			53%	10/19									
Womens Bldg(0086) -E {ID 224}	35%	23/66			35%	23/66	35%	23/66									35%	23/66					
Womens Bldg(0086) -E {ID 224}	56%	37/66			56%	37/66	56%	37/66									56%	37/66					



## Bicycle Parking Survey Damage Report

2012

Building	Side	Bldg #	Loc ID	Damaged	Missing	Unanchored	Comments	Responsibility
<i>Campus Sector:</i>		<i>B</i>						
Agricultural Research	S	NInv-154	118	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Agricultural Research	S	NInv-154	118	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Agricultural Research	W	NInv-154	129	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Agricultural Research	W	NInv-154	129	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Crop Science Bldg	E	0080	102	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Crop Science Bldg	E	0080	102	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Dryden Hall	E	0151	110	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Dryden Hall	E	0151	110	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Seed Lab	N	0101	128	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Seed Lab	N	0101	128	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Transportation Services	E	0135	114	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Transportation Services	E	0135	114	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
USDA Forestry Sciences	E	2006	112	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
<i>Campus Sector:</i>		<i>C</i>						
Cordley Hall	W	0073	232	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ
Cordley Hall	W	0073	232	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ
Gilbert Hall	W	0015	420	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ

Building	Side	Bldg #	Loc ID	Damaged	Missing	Unanchored	Comments	Responsibility
Gilbert Hall	W	0015	420	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ
Kidder Hall	S	0034	412	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Kidder Hall	S	0034	412	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Milne Computer Center	E	0020	411	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Milne Computer Center	E	0020	411	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Navy ROTC Armory	E	0117	507	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Navy ROTC Armory	E	0117	507	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Plageman Student Health	S	0062	326	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Plageman Student Health	S	0062	326	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Rogers Hall	S	0019	422	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Rogers Hall	S	0019	422	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Sackett Hall	NNW	0096	252	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Housing Dining
Sackett Hall	NNW	0096	252	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Housing Dining
Snell Hall/ MU East	W	0100	509	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ
Snell Hall/ MU East	W	0100	509	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ
Strand Agricultural Hall	E	0038	309	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ
Strand Agricultural Hall	E	0038	309	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ
Strand Agricultural Hall	N	0038	307	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ
Strand Agricultural Hall	N	0038	307	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ
Strand Agricultural Hall	S	0038	305	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ
Strand Agricultural Hall	S	0038	305	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ

Building	Side	Bldg #	Loc ID	Damaged	Missing	Unanchored	Comments	Responsibility
Strand Agricultural Hall	W	0038	308	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ
Strand Agricultural Hall	W	0038	308	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ
Weniger Hall	WNW	0017	324	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ
Weniger Hall	WNW	0017	324	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ
<i>Campus Sector:</i>		<i>D</i>						
Callahan Hall	N	0192	516	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Housing Dining
Callahan Hall	N	0192	516	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Housing Dining
Callahan Hall	SE	0192	517	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Housing Dining
Callahan Hall	SE	0192	517	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Housing Dining
McNary Hall	N	0190	519	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Housing Dining
McNary Hall	N	0190	519	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Housing Dining
Oxford House	N	0220	523	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Housing Dining
Wilson Hall	S	0191	518	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Housing Dining
Wilson Hall	S	0191	518	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Housing Dining
<i>Campus Sector:</i>		<i>F</i>						
Gill Coliseum	SE	0121	611	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Gill Coliseum	SE	0121	611	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		FacServ
Reser Stadium	N	0120	605	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ
Reser Stadium	N	0120	605	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ
<i>Campus Sector:</i>		<i>G</i>						
Bloss Hall	N	0198	616	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Housing Dining

Building	Side	Bldg #	Loc ID	Damaged	Missing	Unanchored	Comments	Responsibility
Bloss Hall	N	0198	616	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		Housing Dining
Finley Hall	W	0196	620	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Housing Dining
Finley Hall	W	0196	620	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Housing Dining
ILLC	SW	0207	641	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
ILLC	SW	0207	641	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Oak Creek	S	0814	638	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Oak Creek	S	0814	638	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
<i>Campus Sector:</i>		<i>X</i>						
Prop Svcs	S	0862	522	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ
Prop Svcs	S	0862	522	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		FacServ